

# C4.1CENTRO

**DRIVER:** \_\_\_\_\_  
**TRACK:** \_\_\_\_\_  
**EVENT:** \_\_\_\_\_  
**DATE:** \_\_\_\_\_

## Front End

toe:  $\epsilon$ » \_\_\_\_\_  
 camber:  $\tilde{E}$ » \_\_\_\_\_  
 ride height: G mm

washers: \_\_\_\_\_  
 $\epsilon$  \_\_\_\_\_

axle height      caster

up       20   
 middle       25   
 down       30

## Rear End

toe:  $H$ » \_\_\_\_\_  
 camber:  $\tilde{H}$ » \_\_\_\_\_  
 ride height: G mm  
 anti-squat: G deg

rear hub carrier  
 std   
 0   
 0.5   
 1

roll bar  
 none  
 black (soft)  
 silver (med)  
 gold (hard)

wheel base  
 long   
 medium   
 short

## Front Shocks

spring \_\_\_\_\_ piston \_\_\_\_\_  
 shock oil \_\_\_\_\_ limiter \_\_\_\_\_

## Rear Shocks

spring \_\_\_\_\_ piston \_\_\_\_\_  
 shock oil \_\_\_\_\_ limiter \_\_\_\_\_

## Front Tires

tire: \_\_\_\_\_ compound: \_\_\_\_\_  
 insert: \_\_\_\_\_ wheel: \_\_\_\_\_

## Rear Tires

tire: \_\_\_\_\_ compound: \_\_\_\_\_  
 insert: \_\_\_\_\_ wheel: \_\_\_\_\_

## Electronics

motor & wind: \_\_\_\_\_  
 pinion: \_\_\_\_\_ spur gear: \_\_\_\_\_  
 batteries: \_\_\_\_\_ placement: \_\_\_\_\_  
 radio: \_\_\_\_\_ servo/ expo: \_\_\_\_\_

throttle/ brake epa: \_\_\_\_\_  
 throttle/ brake expo: \_\_\_\_\_  
 esc: \_\_\_\_\_ throttle profile: \_\_\_\_\_  
 initial brake \_\_\_\_\_ drag brake: \_\_\_\_\_

## Body/Wing

body/ wing: \_\_\_\_\_  
 notes: \_\_\_\_\_

## Differential

gear differential/ oil: \_\_\_\_\_ / \_\_\_\_\_  
 ball differential/ setting: \_\_\_\_\_

## Race/ Car/ Notes

qualify: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## Weight distribution

bulkhead  
 std   
 brass   
 alloy

\_\_\_\_\_ g      \_\_\_\_\_ g      \_\_\_\_\_ g