

Front Suspension:

Reset Forms

Ride Height:	15
Camber:	-1
Toe:	NIL
Anti-Roll Bar:	1mm
Arm Type:	Hard gullwing
Tower Type:	Kit gullwing
Wheel Hex:	5mm
Steering Block:	4mm
Caster Block Insert:	+2.5
Bulkhead Type:	Steel
Kick-Up Angle:	25
Notes:	

Bump Steer Spacing: 0

Steering Plate: _____

Steering Stop Spacing: 0

Axle Height:

+3	<input type="checkbox"/>
+2	<input type="checkbox"/>
+1	<input checked="" type="checkbox"/>
+0	<input type="checkbox"/>

Caster Block Spacing: hub back

Ball Stud Spacing: 1mm

Steering Bellcrank Position:

Up

Down

Ball Stud Spacing: 1mm

Axle Height:

▼0 3▲	+3
▼1 2▲	+2
▲1 2▼	+1
▲0 3▼	+0

Rear Suspension:

Ride Height:	15
Camber:	-1
Anti-Roll Bar:	1.3mm
Arm Type:	Hard 73mm
Tower Type:	Kit
Arm Spacing:	Arm forward
Wheel Hex:	5mm
Shock Mounting Position:	Front of Arm <input checked="" type="checkbox"/> Rear of Arm <input type="checkbox"/>
Hub Spacing:	Fwd <input checked="" type="checkbox"/> Mid <input type="checkbox"/> Back <input type="checkbox"/>
CVA Bone Length:	69mm
CVA Axle Type:	Kit
Notes:	

C Mount:

Aluminum Brass

D Mount:

Aluminum Brass

Axle Height:

▼0 3▲	+3
▼1 2▲	+2
▲1 2▼	+1
▲0 3▼	+0

Camber Link Spacing: 2

Ball Stud Spacing: 4

Ball Stud Spacing: 4

Electronics:

Radio:	Gemini X	Servo:	SRT
EPA: Throttle:	100 %	Brake:	80 %
ESC:	Hobbywing XR10 Pro		
ESC Settings:			
Motor / Wind:	Hw v10 6.5	Timing:	
Pinion:	23	Spur:	78
Battery:	Reedy Zappers 4800		
Battery Position:	Back <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> Forward		
Battery Weight:			

Drivetrain:

Transmission:			
Laydown:	<input checked="" type="checkbox"/>	Layback:	<input type="checkbox"/>
Differential:	Ball Diff:	<input type="checkbox"/>	
Height:	<u>3</u>	Gear Diff:	<input checked="" type="checkbox"/>
Diff Setting:	30K 2 gear		
Notes:			
Slipper Clutch:	Type: _____		
# of Pads:			
Setting:			

Shocks:

	Front	Rear
Piston:	1.6	1.7
Thickness:	2mm	2mm
Fluid:	35	30
Spring:	Orange	Blue
Limiters:	Int: <u>0</u> Ext: <u>0</u>	Int: <u>0</u> Ext: <u>0</u>
Stroke:	22	28
Eyelet Length:	short 0	long +2
Cup Offset:	5mm	0mm
Notes:		



Track Info:

Size:	Small <input type="checkbox"/> Medium <input type="checkbox"/> Large <input checked="" type="checkbox"/> Extra Large <input type="checkbox"/>
Surface:	Dirt <input type="checkbox"/> Carpet <input type="checkbox"/> Astroturf <input checked="" type="checkbox"/> Multi Surface <input type="checkbox"/>
Traction:	Low <input type="checkbox"/> Medium <input type="checkbox"/> High <input checked="" type="checkbox"/> Very High <input type="checkbox"/>
Moisture:	Dry <input type="checkbox"/> Damp <input checked="" type="checkbox"/> Wet <input type="checkbox"/>
Condition:	Indoor <input checked="" type="checkbox"/> Outdoor <input type="checkbox"/> Dusty <input type="checkbox"/> Hard Packed <input type="checkbox"/> Bumpy <input type="checkbox"/> Grooved <input checked="" type="checkbox"/> Smooth <input type="checkbox"/> Loamy <input type="checkbox"/>
Temperature:	Ambient: _____ Track: _____
Notes:	
Vehicle Comments:	

Tires:

Front Tires:	Low Profile cut Stagers
Front Compound:	Yellow
Front Insert:	None
Rear Tires:	Cactus
Rear Compound:	Yellow
Rear Insert:	Cragg
Wheel (F/R):	AE
Notes:	

Body, Weight:

Body:	Kit
Front Wing:	Kit
Rear Wing:	Kit
Wing Angle:	6
Chassis Length:	
Servo Weights:	steel
Electronic Weights:	steel
Total Vehicle Weight:	