


Front Suspension

Ride Height: *16mm*
 Camber: *-2*
 Toe: *0*
 Anti-Roll Bar: *1.6*
 Arm Type: *hard*
 Wheelbase Shim: *back*
 Wheel Hex: *5mm*
 Caster Block: 8° 9° 10°
 Chassis Brace: Plastic Carbon
 Top Plate Brace: Yes No
 Front Axles: CVA DCV


Notes



Rear Suspension

Ride Height: *16mm*
 Camber: *-2*
 Anti-Roll Bar: *1.5*
 Arm Type: *hard*
 Wheelbase Shim: *front*
 Wheel Hex: *7mm*
 CVA Bone Length: _____
 Chassis Brace: Plastic Carbon
 Hub Spacing: Fwd Mid Back

Notes



Electronics, Drivetrain

Radio: *SANWA M17* Servo: *Reedy*
 EPA: Throttle: _____ % Brake: _____ %
 ESC: *XR10 pro*
 ESC Settings: _____
 Motor: *reedy 5.5* Timing: _____
 Pinion: *18* Spur: _____
 Battery: *Ludicrous 3500 LCG*
 Battery Position: *Back*

Front Fluid: *10k* / 4 gfs
 Gears: Plastic Metal
 Center Fluid: _____ / _____ gfs
 Gears: Plastic Metal
 Rear Fluid: *10k* / 4 gfs
 Gears: Plastic Metal
 Slipper Clutch: *loose*
 # of Pads *std*

Shocks	Front	Rear
Piston:	<i>1.6 x 2 thin</i>	<i>1.7 x 2 thin</i>
Fluid:	<i>40</i>	<i>27.5</i>
Spring:	<i>v2 red</i>	<i>v2 white</i>
Limiters:	<i>0</i>	<i>0</i>
Stroke:	<i>24mm</i>	<i>29mm</i>
Eyelet Length:	<i>long</i>	<i>long</i>
Cup Offset:	<i>5</i>	<i>5</i>
Notes:		

Track Info, Tires & Aero

Size: Small Medium Large Extra Large
 Surface: Dirt Carpet Astroturf Multi Surface
 Traction: Low Medium High Very High
 Moisture: Dry Damp Wet
 Condition: Indoor Outdoor Dusty Hard Packed
 Bumpy Grooved Smooth Loamy
 Temperature: Ambient: _____ Humidity: _____
 Notes: _____

Front Tires: *cactus fusion*
 Front Compound: *yellow*
 Front Insert: *cragg*
 Rear Tires: *dart*
 Rear Compound: *yellow*
 Rear Insert: *cragg*
 Wheel (F/R): *AE*
 Notes: _____

Body: *AE lightweight*
 Wing: *AE*
 Wing Angle: 0° 6°
 Front Wing Yes No
 Weights: _____
 Total Vehicle Weight: *1640g*

Comments

titanium screw kit
titanium turnbuckles
titanium ball studs
LCG battery
rear camber link position 2
kashima shocks
thin AE pistons
1mm on shock shaft front and rear