





Test Report

Report No. AGC13251210901-002

SAMPLE NAME : Farmer car

MODEL NAME : Please refer to the following page(s).

APPLICANT SHANTOU CHENGNONG TOY INDUSTY CO.,LTD

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Oct.15, 2021

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Address

Report No.: AGC13251210901-002

Jossie lia

Page 1 of 17

Applicant : SHANTOU CHENGNONG TOY INDUSTY CO.,LTD

Donghu Industrial Avenue, Fengxiang Street, Chenghai District,

Shantou City, Guangdong Province, China

Test Site 2,6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community,

Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Farmer car

9951,9952,9953,9954,9955,9956,9957,9958,9959,9960,9961,9962, 9963,9964,9965,6601,6602,6603,6604,6605,6606,6607,6608,6609, 6610,6611,6612,6613,6614,6615,6631,6632,6633,6634,6635,6636, 6637,6638,6639,6640,6641,6642,6644,6644,6645,6646,6647,6648,

Model : 6649,6650,6651,6652,6653,6654,6655,6656,6657,6658,6659,6660,

 $6661,6662,6663,6664,6665,6666,6667,6668,6669,6670,6671,6672,\\6673,6674,6675,6676,6677,6678,6679,6680,6681,6682,6683,6684,\\6685,5521,5522,5523,5524,5525,5526,5527,5528,5529,5530,5531,$

5532,5533,5534,5535

Labeled Age Grading : 3+
Age Group Applied in Testing : 3+
Age Group Assessed by AGC : 3+

As Per Age Guideline

Sample receiving state : Normal Sample Received Date : Oct.09, 2021

Testing Period : Oct.09, 2021 to Oct.15, 2021

Approved by: Approved by:

Qinlianzhi, Reed Liangdan, Jessie.Liang

Laboratory Supervisor Technical Director



Page 2 of 17

Test Requested:	Conclusion
(1) Britain Standard on Safety of Toys:	
BS EN 71-1: 2014+A1:2018 – Mechanical and Physical Properties	Pass
BS EN 71-2:2011+A1:2014 – Flammability of Toys	Pass
BS EN 71-2:2020 – Flammability of Toys	Pass
- BS EN 71-3:2019 –Migration of certain elements	Pass
BS EN 71-3:2019+A1:2021 –Migration of certain elements	Pass
(2) Labeling requirement (Washing/Cleaning Label, UKCA mark, Company's name	
&address, product identification) according to the Directive The Toys (Safety)	Pass
Regulations 2011.	




Page 3 of 17

Test Result(s):

Britain Standard on Safety of Toys

(1)-1: BS EN 71 Part 1: 2014+A1:2018 - Mechanical and Physical Properties

Clause	Description	Result
4 @	GENERAL REQUIREMENTS	10
4.1	Material cleanliness	Pass
4.2	Assembly	N/A
4.3	Flexible plastics sheeting	N/A
4.4	Toy bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	Pass
4.10	Parts moving against each other	Pass
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	Pass
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14	Enclosures	N/A
4.15	Toys intended to bear the mass of a child	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectiles	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22	Small balls	N/A
4.23	Magnets	N/A





Clause **Description** Result 4.24 N/A Yo-yo balls 4.25 N/A Toys attached to food 4.26 **Toy Disguise Costumes** N/A 4.27 Flying toys N/A TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS 5.1 General requirements N/A 5.2 N/A Filling materials 5.3 Plastic sheeting N/A 5.4 N/A Cords, chains and electrical cables in toys 5.5 Liquid-filled toys N/A 5.6 Speed limitation of electrically driven toys N/A 5.7 Glass and porcelain N/A 5.8 Shape and size of certain toys N/A 5.9 Toys comprising monofilament fibres N/A 5.10 Small balls N/A 5.11 N/A Play figures 5.12 N/A Hemispheric-shaped toys 5.13 Suction cups N/A 5.14 Straps intended to be worn fully or partially around the neck N/A 5.15 Sledges with cords for pulling N/A **PACKAGING** N/A 7 Warnings, markings and instructions for use Pass

USE AND ABUSE TESTS

The samples were undergo the tests in accordance w	rith section 8.3 through 8.13, whichever is applicable
Clause	Test parameters
8.4 Tension test	60 N
8.5 Drop Test	5*850 mm
8.7 Impact Test	1*100mm



Page 5 of 17

Note:

N/A=Not Application

(1)-2: BS EN 71 Part 2:2011+A1:2014 - Flammability of Toys*

Clause	Description	Result
4	Requirements	
4.1	General	Pass
4.2	Toys to be worn on the head	N/A
4.2.1	General	N/A
4.2.2	Beards, moustaches, wigs, etc, made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands), which protrude more than or equal to 50 mm from the surface of the toy	N/A
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands etc.), which protrude less than 50 mm from the surface of the toy	N/A
4.2.4	Full or partial moulded head masks	N/A
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and fabric masks which partially or fully cover the head, but excluding those items covered by 4.3	N/A
4.3	Toys disguise costumes and other toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft Filled Toys (animals and dolls, etc) with a piled or textile surface	N/A

Note:

N/A=Not Application



Page 6 of 17

(1)-3: BS EN 71 Part 2:2020 - Flammability of Toys

Clause	Description	Result
4	Requirements	©
4.1	General	Pass
4.2	Toys to be worn on the head	N/A
4.2.1	General	N/A
4.2.2	Beards, moustaches, wigs, etc, made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands), which protrude more than or equal to 50 mm from the surface of the toy	N/A
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands etc.), which protrude less than 50 mm from the surface of the toy	N/A
4.2.4	Full or partial moulded head masks	N/A
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and fabric masks which partially or fully cover the head, but excluding those items covered by 4.3	N/A
4.3	Toys disguise costumes and other toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft Filled Toys (animals and dolls, etc) with a piled or textile surface	N/A

Note:

N/A=Not Application



Page 7 of 17

(1)-4 BS EN 71-3: 2019- Migration of Certain Elements. *

Table

Permissible Limit for Different Materials(Unit: mg/kg)

Item	Category III In scraped-off toy material	Category II In liquid or sticky toy material	Category I In dry, brittle, powder-like or pliable toy material
Aluminium (Al) (M)	28130	560	2250
Antimony (Sb) (M)	560	11.3	45
Arsenic (As) (M)	47	0.9	3.8
Barium (Ba) (M)	18750	375	1500
Boron (B) (M)	15000	300	1200
Cadmium (Cd) (M)	17	0.3	1.3
Chromium III(Cr(III)) (M)	460	9.4	37.5
Chromium VI (Cr(VI)) (M)	0.053	0.005	0.02
Cobalt (Co) (M)	130	2.6	10.5
Copper (Cu) (M)	7700	156	622.5
Lead (Pb) (M)	23	0.5	2.0
Manganese (Mn) (M)	15000	300	1200
Mercury (Hg) (M)	94	1.9	7.5
Nickel (Ni) (M)	930	18.8	75
Selenium (Se) (M)	460	9.4	37.5
Strontium (Sr) (M)	56000	1125	4500
Tin (Sn) (M)	180000	3750	15000
Organic Tin (M)	12	0.2	0.9
Zinc (Zn) (M)	46000	938	3750

Note: As specified by client, The migration limit for Aluminium (Al) for Category I, Category II, Category III toy material is in accordance with the (EU)2019/1922 of Toy Safety Directive 2009/48/EC.



Page 8 of 17

Category III: Scrapped - off toy material

Test method: BS EN 71-3:2019, Analysis was performed by ICP-OES, GC-MS.

Unit: mg/kg

	Result(s)							L-G
Tested Item(s)	1	2	3▼◆	4▼◆	5▼◆	6▼◆	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	(8)
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	G
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	- C
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	8
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	60
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	See
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	Table
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	G
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	r.C
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	/	



Page 9 of 17

Unit: mg/kg

				(R)				
Tested Item(s)			MDL	Limit				
Testeu Hem(s)	7	8	9	10	11	12	MIDL	Lillit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	®
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	G
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	~ 0
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	See
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	Table 1
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	©
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	C
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	NG.
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass		



Page 10 of 17

Unit: mg/kg

Tosted Items(s)	Result(s)					8	MDI	T
Tested Item(s)	13	14	15	16	17	18	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	40
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	(8)
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	G
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	_ (
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	See
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	Table 1
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	<u></u>
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	C
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	238	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass		@

Note: * = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.



Page 11 of 17

(1)-5 BS EN 71-3:2019+A1:2021- Migration of Certain Elements.

Table 2

Permissible Limit for Different Materials(Unit: mg/kg)

Item	Category III In scraped-off toy material	Category II In liquid or sticky toy material	Category I In dry, brittle, powder-lik or pliable toy material		
Aluminium (Al) (M)	28130	560	2250		
Antimony (Sb) (M)	560	11.3	45		
Arsenic (As) (M)	47	0.9	3.8		
Barium (Ba) (M)	18750	375	1500		
Boron (B) (M)	15000	300	1200		
Cadmium (Cd) (M)	17	0.3	1.3		
Chromium III(Cr(III)) (M)	460	9.4	37.5		
Chromium VI (Cr(VI)) (M)	0.053	0.005	0.02		
Cobalt (Co) (M)	130	2.6	10.5		
Copper (Cu) (M)	7700	156	622.5		
Lead (Pb) (M)	23	0.5	2.0		
Manganese (Mn) (M)	15000	300	1200		
Mercury (Hg) (M)	94	1.9	7.5		
Nickel (Ni) (M)	930	18.8	75		
Selenium (Se) (M)	460	9.4	37.5		
Strontium (Sr) (M)	56000	1125	4500		
Tin (Sn) (M)	180000	3750	15000		
Organic Tin (M)	12	0.2	0.9		
Zinc (Zn) (M)	46000	938	3750		



Page 12 of 17

Category III: Scrapped - off toy material

Test method: BS EN 71-3:2019+A1:2021, Analysis was performed by ICP-OES, GC-MS.

Unit: mg/kg

	D 14()							
Tested Item(s)	Result(s)						MDL	Limit
1 court rollings	1	2	3▼◆	4▼◆	5▼◆◎	6▼◆	WIDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	©
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	G
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	< G
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	8
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	GG
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	See
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	Table 2
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	. 6
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	/	



Page 13 of 17

Unit: mg/kg

				(%)				
Tested Item(s)		1	MDI					
resteu rtem(s)	7	8	9	10	11	12	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	<i>z</i> .C
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	8
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	G
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	~ (3
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	See
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	Table 2
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	©
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	G
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	<u> </u>
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass		



Report No.: AGC13251210901-002 Page 14 of 17

Unit: mg/kg

Tested Item(s)	Result(s)					MDI		
	13	14	15	16	17	18	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	See
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	Table 2
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	©
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	C
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	NG NG
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	238	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass		

Note: * = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.



Report No.: AGC13251210901-002 Page 15 of 17

(2) Labeling requirement (Washing/Cleaning Label, UKCA mark, Company's name &address, product identification) according to The Toys (Safety) Regulations 2011 ★

Summary table:

	On product	On packaging
Washing/Cleaning instruction	/	1
UKCA mark	Absent	Present
Company's name	Absent	Present
Address	Absent	Present
Product ID	Absent	Present

Remark:

- 1: Washing/Cleaning label According to The Toys (Safety) Regulations 2011 the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2: Toys made available on the market must bear the UKCA marking. The UKCA marking must be subject to the general principles set out in The Toys (Safety) Regulations 2011. The UKCA marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the UKCA marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the UKCAE marking may be affixed to the counter display. Where the UKCA marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the UKCA marking must be at least 5 mm high.
- 3: The address must be in UK (England, Wales, Scotland and Northern Ireland). Until 31 December 2022, company name and UK address can be provided on the accompanying documentation rather than on the good itself, for examples, shipping documents, invoice to the customer, outer packaging (shipper) or DoC.
- 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy



Page 16 of 17

Note:

mg/kg = milligram per kilogram M = Migration

MDL = Method detection limit N.D.= Not Detected (lower than method detection limit)

Remark:


- ▼=The result of dry sample.
- ◆= Raw material sampling.
- ★=The test items are not accredited by CNAS.

Test Point Description


Test point	Test point description					
®		Farmer car	- 6	8		
1.	White plastic shell			-G	©	
2.	Transparent plastic window				7.0	8
3.	Black coating		@			
4. 🔞	Red coating			®		
5.	White coating	< G			@	
6.	Orange coating				G	<u>®</u>
7.	Transparent LED					
8.	Milky plastic shaft		®			
9.	Milky plastic transmission			(3	
10.	Red plastic toggle switch					®
11.	Black plastic pan					
12.	White plastic wheel					
13.	Black rubber wheel			8		
	· · · · · · · · · · · · · · · · · · ·	(Remote cont	rol)			
14.	Red LED					®
15.	Black plastic shell	0				
16.	Black plastic toggle switch					
17.	White label			(8)		
18.	Black Label			.C	<u> </u>	

Test Flow Chart

1. Test Flow Chart for Migration of 17 Heavy Metals-Lead, Cadmium, Chromium, Mercury, Antimony, Barium, Arsenic, Selenium, Aluminum, Boron, Cobalt, Copper, Manganese, Nickel, Strontium, Zinc and Tin:




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the condicated restrouting portion of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.






2. Test Flow Chart for Migration of Chromium(III) and Chromium(VI):



3. Test Flow Chart for Migration of Organic Tin Compounds:



The photo of the sample



AGC13251210901-002

AGC authenticate the photo only on original report

*** End of Report ***

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festiva/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3.The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.