


RC4WD GELANDE II KIT W/ 2015 LAND ROVER DEFENDER D90 HARD BODY SET



OFFICIALLY LICENSED




Recommended Tools




Hex Drivers (1.5mm, 2mm, 2.5mm)



Thread Lock



Cross Wrench



Long Nose Pliers

Tips for Assembly

Use good quality hex drivers to avoid stripping screw heads.

Use thread lock when putting metal screws into metal parts.

Note: Steps marked with an asterisk (*) require thread lock.

Use thread lock sparingly.

Do not over tighten screws otherwise you may strip the thread.



Warranty

RC4WD non-electrical products are warranted to be free of defects in materials and workmanship when new. Our limited warranty does not cover damages due to normal wear and tear, user error of assembly or installation, user modifications, user's failure to perform routine maintenance, addition of aftermarket parts or option parts. This warranty lasts 30 days after arrival for original purchaser.

In the event of a defect under this warranty, RC4WD will, at our discretion, replace the product, provided our inspection indicates that an original defect exists. RC4WD reserves the right to replace any product which is no longer available with a product of comparable value and function. If RC4WD determines the repair is not covered under warranty guidelines, we will contact you to discuss your options. If you have any questions, please contact us via email at support@rc4wd.com.

RC4WD warrants its electronics for 30 days from date of arrival. This covers all electrical items except items that are already noted on the individual product page.

Los productos no eléctricos RC4WD están garantizados como libres de defectos en materiales y mano de obra cuando son nuevos. Nuestra garantía limitada no cubre los daños debidos al desgaste normal, a errores de montaje o instalación por parte del usuario, a modificaciones del usuario, a la falta de mantenimiento rutinario por parte del usuario, a la adición de piezas de recambio o a piezas opcionales. Esta garantía dura 30 días después de la fecha de entrega para el comprador original.

En el caso de un defecto bajo esta garantía, RC4WD, a nuestra discreción, reemplazará el producto, siempre que nuestra inspección indique que existe un defecto original. RC4WD se reserva el derecho de sustituir cualquier producto que ya no esté disponible por otro de valor y función comparables. Si RC4WD determina que la reparación no está cubierta por la garantía, nos pondremos en contacto con usted para discutir sus opciones. Si tiene alguna pregunta, por favor contáctenos por correo electrónico a support@rc4wd.com.

RC4WD garantiza su electrónica por 30 días a partir de la fecha de entrega. Esto cubre todos los artículos eléctricos, excepto los que ya están anotados en la página del producto individual.

Les produits non électriques RC4WD sont garantis comme étant exempts de défauts de matériaux et de fabrication lorsqu'ils sont neufs. La garantie limitée ne couvre pas les dommages dus à l'usure normale, aux erreurs de montage ou d'installation de l'utilisateur, aux modifications apportées par l'utilisateur, au défaut d'entretien courant de l'utilisateur, à l'ajout de pièces de rechange ou de pièces optionnelles. Cette garantie dure 30 jours à compter de la date d'arrivée de l'acheteur initial.

En cas de défaut au titre de cette garantie, RC4WD remplacera, à notre discrétion, le produit, à condition que notre inspection indique qu'il s'agit d'un défaut d'origine. RC4WD se réserve le droit de remplacer tout produit indisponible par un produit de valeur et de fonction comparables. Si RC4WD détermine que la réparation n'est pas couverte par les directives de garantie, nous vous contacterons pour discuter des possibilités qui s'offrent à vous. Si vous avez des questions, veuillez nous contacter par courriel à support@rc4wd.com.

RC4WD garantit ses appareils électroniques pendant 30 jours à compter de la date d'arrivée. Cette garantie couvre tous les articles électriques, à l'exception de ceux qui sont déjà mentionnés sur la page de chaque produit.

Alle RC4WD, nicht elektrischen Produkte" sind garantiert frei von Materialfehlern durch die Produktion und Verarbeitung. Die Garantie deckt nicht Schäden aufgrund normaler Abnutzung, Benutzerfehler bei der Montage oder Installation, Änderungen durch den Benutzer, unterlassen der routinemäßigen Wartung durch den Benutzer, hinzufügen von Fremdteilen oder Optionsteile. Diese Garantie beträgt 30 Tage nach Kauf und Erhalt der Ware durch den Käufer. Im Falle eines Mangels im Rahmen dieser Garantie, wird RC4WD nach Ermessen und sofern nach einer Kontrolle ein ursprünglicher Defekt vorliegt, das Produkt austauschen.

RC4WD behält sich das Recht vor, Produkte die nicht mehr erhältlich sind, mit einem gleichwertigem Produkt mit vergleichbarer Funktion zu tauschen.


Wenn die Reklamation nicht mehr unter der Garantie fällt, wird Sie RC4WD für weitere Lösungen kontaktieren. Bei Fragen kontaktieren Sie uns bitte per E-Mail unter support@rc4wd.com.



Instruction Manual Symbols Key



Apply Thread Lock



Apply Grease



Glue



Trim with Hobby Knife



CA Glue



Remove



Cut with Scissors



Repeat or Build Multiple



Build Right and Left



Paint



Attention



Build Front and Rear

Tips for Assembly

- Use good quality hex drivers to avoid stripping screw heads.
- Open kit bags in order of assembly steps.
- Use “Step” index for quantity and size of hardware to be used for assembly.
- Do not over tighten screws.
- Use thread lock sparingly on metal parts.

Recommendations for building your RC4WD Trail Finder 2 Truck Kit

1. Carefully remove all parts from bags and sort them. Make sure to use threadlock on all screws in aluminum.
2. Do not over-tighten screws. Stripping screw heads and holes during assembly can happen if you are using too much force.


RC4WD

Step 1



X2

150-0100
M3 x 8mm FHCS




RC4WD

Step 2



X4


150-0062
M3 x 8mm BHCS



RC4WD

Step 3


 X2
150-0101
M3 x 10mm FHCS



RC4WD

Step 4

 X2
150-0066
M3 x 16mm BHCS





RC4WD

Step 5

 X4
150-0218
M3 x 10mm
Set Screw


 X10
150-0216
M3 x 15mm
Set Screw



RC4WD


Step 6

 X4
150-0218
M3 x 10mm
Set Screw



RC4WD
Step 7


 X2
150-0062
M3 x 8mm BHCS



150-0062

RC4WD
Step 8

 X2
150-0100
M3 x 8mm FHCS




150-0100



RC4WD

Step 9

 X2
150-0062
M3 x 8mm BHCS




RC4WD

Step 10

 X4
150-0064
M3 x 12mm BHCS

 X4
150-0007
M2 x 12mm SHCS




RC4WD

Step 11




X2

150-0007
M2 x 12mm SHCS



X1

150-0064
M3 x 12mm BHCS




RC4WD

Step 12




X1

150-0063
M3 x 10mm BHCS




RC4WD
Step 13

 X2
150-0064
M3 x 12mm BHCS



RC4WD
Step 14

 X1
150-0063
M3 x 10mm BHCS




RC4WD

Step 15

 X3
150-0063
M3 x 10mm BHCS

 X3
150-0064
M3 x 12mm BHCS


 X2
150-0007
M2 x 12mm SHCS



RC4WD


Step 16

 X2
150-0062
M3 x 8mm BHCS




RC4WD
Step 17

 X4
150-0063
M3 x 10mm BHCS



RC4WD
Step 18

 X4
150-0063
M3 x 10mm BHCS




RC4WD

Step 19

 X1
150-0062
M3 x 8mm BHCS


 X1
150-0100
M3 x 8mm FHCS



RC4WD


Step 20

 X2
150-0063
M3 x 10mm BHCS




RC4WD
Step 21

 X1
150-0202
M3 Drive Shaft Pin



RC4WD
Step 22




RC4WD

Step 23


 X1
150-0061
M3 x 6mm BHCS


 X1
150-0063
M3 x 10mm BHCS




RC4WD


Step 24

 X1
150-0202
M3 Drive Shaft Pin




RC4WD
Step 25

 X4
150-0103
M3 x 14mm FHCS



RC4WD
Step 26


 X2
150-0103
M3 x 14mm FHCS



RC4WD

Step 27


-  X1
175-0007
M3 Black Lock Nut
-  X1
150-0033
M3 x 25mm SHCS



RC4WD


Step 28

-  X2
150-0068
M3 x 20mm BHCS





RC4WD
Step 31

 X1
150-0064
M3 x 12mm BHCS



RC4WD
Step 32

 X2
150-0065
M3 x 14mm BHCS




RC4WD

Step 33

 X2
150-0064
M3 x 12mm BHCS


 X2
200-0035
M3 X 2mm Spacer




RC4WD

Step 34


 X2
150-0064
M3 x 12mm BHCS



RC4WD
Step 35

 X1
150-0063
M3 x 10mm BHCS

 X2
150-0065
M3 x 14mm BHCS




RC4WD
Step 36


 X2
150-0066
M3 x 16mm BHCS


 X2
175-0007
M3 Black Lock Nut

 X2
200-0036
M3 X 3mm Spacer




RC4WD
Step 37


 X2
150-0064
M3 x 12mm BHCS




RC4WD
Step 38





RC4WD
Step 39

 X2
150-0202
M3 Drive Shaft Pin




RC4WD
Step 40

 X2
150-0202
M3 Drive Shaft Pin




RC4WD
Step 41

 X2
150-0100
M3 x 8mm FHCS




RC4WD
Step 42

 X2
150-0101
M3 x 10mm FHCS




RC4WD
Step 43

 X2
150-0061
M3 x 6mm BHCS




RC4WD
Step 44

Note: Servo and servo horn are not included in this kit




RC4WD
Step 45


 X4
150-0062
M3 x 8mm BHCS



RC4WD
Step 46

 X1
150-0066
M3 x 16mm BHCS

 X1
Z-S0821
M3 X 5mm Spacer



RC4WD
Step 47

Insert the ring inside the tire


x4



RC4WD
Step 48

Place the rear wheel half inside the ring

x4





Ensure that the tire bead is evenly captured in the wheel rim
The tire may need to be pulled out a little to make it sit properly.



RC4WD
Step 49

Place the front wheel half inside the ring.
Ensure that the wheel design is aligned front and rear.

x4





Ensure that the tire bead is evenly captured in the wheel rim.
The tire may need to be pulled out a little to make it sit properly.

RC4WD
Step 50

Place the wheel hub on the rear of the wheel and insert a long bolt
(M2.5 x 12mm) through the wheel

x4





Install a nut and tighten onto the long bolt. Make sure the
tirebead is evenly captured while tightening the nut



RC4WD
Step 51

Install the second bolt (M2.5 x 8mm) and nut.
Make sure the tire bead is evenly captured while tightening the nut.


x4



Fit all of the remaining bolts and nuts.
Swap the long bolt that was fitted for the shorter bolt


RC4WD
Step 52

x4




RC4WD
Step 53

 X4
175-0011
M4 Flanged Lock Nut




RC4WD
Step 54

 X4
Silver Steel
Body Clips




RC4WD
Step 55

 X4
150-0053
M2.5 x 6mm BHCS



RC4WD
Step 56

 X4
150-0053
M2.5 x 6mm BHCS



SPARE PARTS

Piezas de repuesto / Pièces de rechange / Ersatzteile

- Z-A0080 RC4WD Yota II Ultimate Scale Cast Axle V2 (Front)
- Z-A0081 Yota II Ultimate Scale Cast Axle (Rear)
- Z-C0040 Gelande 2 Chassis Set
- Z-D0041 RC4WD Dual Spring Scale Black Shocks 80mm V3
- Z-S0238 RC4WD 12mm Axle Wheel Hex Set
- Z-S0398 M3 Mini Plastic Rod End (20x)
- Z-S0399 M3 Medium Straight Plastic Rod End (20x)
- Z-S0402 M3 Short Bent Plastic Rod End (20x)
- Z-S0430 14t 32p Hardened Steel Pinion Gear
- Z-S0552 Heavy Duty Nylon Strap Lock (5)
- Z-S0592 Fuel Cell Radio Box
- Z-S0600 2mm Black Spacer with M3 Hole (10)
- Z-S0791 Servo Mounts for Gelande 2 Chassis
- Z-S0792 Battery Plate for Gelande 2
- Z-S0794 Gelande 2 Front 3 Link & Panhard Mount (Black)
- Z-S0795 Gelande 2 Rear 4 Link Mount
- Z-S0798 Front Shock Hoops for Gelande 2 Chassis
- Z-S0799 Rear Shock Hoops for Gelande 2 Chassis
- Z-S0800 Gelande 2 Front Replacement Bumper
- Z-S0801 Gelande 2 Rear Replacement Bumper
- Z-S0802 R3 Single Speed Transmission Mounts
- Z-S0803 Metal Drive Coupling for Gelande 2
- Z-S0805 73mm (2.87") Aluminum Link for Gelande 2
- Z-S0806 3mm Black Spacer with M3 Hole (10)
- Z-S0807 59mm (2.32") Aluminum Link for Gelande 2
- Z-S0809 1mm Black Spacer with M3 Hole (10)
- Z-S0817 65.3mm (2.57") Aluminum Link for Gelande 2
- Z-S0819 70mm (2.75") Aluminum Link for Gelande 2
- Z-S0821 5mm Black Spacer with M3 Hole (10)
- Z-S0822 Heavy Duty Metal Servo Arm 25t Futaba
- Z-S2019 RC4WD Plastic Punisher Shaft V2 (95mm - 100mm / 3.74" - 3.94") 5mm Hole
- Z-T0005 Dirt Grabber 1.9" All Terrain Tires
- Z-U0024 Hammer Transfer Case (1.47/1)
- Z-U0027 Transfer Case and Lower 4 Link Mount for Gelande 2 Chassis
- Z-U0028 R3 Scale Single Speed Transmission
- Z-W0129 5 Lug Wagon 1.9" Steel Stamped Beadlock Wheels (Black)
- Z-S0194 RC4WD 120mm Hardened Steering Link (FOA)

RECOMMENDED EQUIPMENT

Equipo recomendado / Équipement recommandé / Empfohlene Ausrüstung

- 540 Crawler Brushed Motor 45T
- Z-E0035 Twister High Torque Metal Gear Digital Servo
- Z-E0090 RC4WD 6-Cell 3000mAh NIMH Battery Pack
- Z-E0113 Outcry III Waterproof ESC
- Z-R0009 XR3 3-Channel 2.4Ghz Transmitter/Receiver Radio



OPTIONAL PARTS

Partes opcionales / Pièces en option / Optionale teile

Z-A0071	RC4WD Yota II Ultimate Scale Cast Front Axle V2 (Chrome)
Z-A0072	RC4WD Yota II Ultimate Scale Cast Rear Axle (Chrome)
Z-A0096	K44 Ultimate Scale Cast Rear Axle
Z-A0101	K44 Ultimate Scale Cast Front Axle
Z-B0256	RC4WD TDI Engine Bay for 2015 Land Rover Defender D90
Z-D0006	RC4WD King Off-Road Racing Shocks (80mm)
Z-D0035	RC4WD King Off-Road Scale Dual Spring Shocks (80mm)
Z-E0029	RC4WD Basic Lighting System for 2015 Land Rover Defender D90 Body Set (Pick-up/SUV)
Z-E0125	Twister Extreme Hi-Voltage Coreless Metal Gear Digital Waterproof Servo
Z-G0059	Helical Gear Set for 1/10 Yota and K44 Axles
Z-S0152	RC4WD Hitch Mount for Gelande 2
Z-S0297	RC4WD Inner Fender Set for 2015 Land Rover Defender D90
Z-S0481	RC4WD Tough Armor Steel Side Sliders w/Bump for Gelande II (D90)
Z-S0886	RC4WD Tough Armor Steel Side Sliders for Gelande II (D90)
Z-S1295	RC4WD ARB Diff Cover For The Yota II Axle (Red)
Z-S1968	Yota II Axle Mounts for Baer Brake Systems Rotors and Calipers-Front
Z-S1969	Yota II Axle Mounts for Baer Brake Systems Rotors and Calipers-Rear
Z-S2097	RC4WD Poison Spyder Ricochet Rockers for 2015 Land Rover Defender D90 Body Set (Pick-up/SUV)
VVV-C0265	Roof Rack with Tire Mount for Gelande II D90
VVV-C0286	Metal Front Bumper w/Stinger and Lights for Gelande II D90/D110
VVV-C0604	Breach Steel Ladder for Gelande II D90/D110 (Black)
VVV-C0605	Breach Steel Ladder for Gelande II D90/D110 (Silver)
VVV-C1081	Oxer Inner Fenders for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-up/SUV)
VVV-C1082	Oxer Transfer Case Guard for Gelande II 2015 Land Rover Defender D90
VVV-C1083	Steel Steering Guard for RC4WD Gelande II 2015 Land Rover Defender D90 (Black) (Pick-up/SUV)
VVV-C1085	Steel Front Side Hood Diamond Plates for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-up/SUV)
VVV-C1086	Steel Rear Bed Diamond Plates for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1087	Steel Diamond Tailgate Plate for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1088	Steel Tube Rollbar for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1089	Steel Tube Rollbar w/ Flood Lights for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1090	Front Window Roll Cage for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1091	Front Window Roll Cage w/ Flood Lights for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1093	Steel Roof Light Bar w/ Flood Lights for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-up/SUV)
VVV-C1094	Steel Rear Window Guard for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1095	High Brake Light for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1096	Bed Mounted Spare Wheel and Tire Holder for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1097	Spare Wheel and Tire Holder for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-up/SUV)
VVV-C1118	Classic Front Winch Bumper for RC4WD Gelande II 2015 Land Rover Defender D90 (Silver)
VVV-C1119	Classic Front Winch Bumper for RC4WD Gelande II 2015 Land Rover Defender D90 (Black)
VVV-C1122	Steel Push Bar Front Bumper W/ Yellow Flood Lights for RC4WD Gelande II 2015 Land Rover Defender D90
VVV-C1129	Steel Tube Bed Cage w/ Soft Top for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up) (Tan)
VVV-C1130	Adventure Rooftop Tent Steel Rack for RC4WD Gelande II 2015 Land Rover Defender D90
VVV-C1144	Cargo Bed Wood Decking for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C1304	Belt Drive Kit for R3 Single / 2-Speed Transmissions
VVV-C1359	R3 Single / 2-Speed Transmission Gear Cover for Gelande II Chassis
VVV-C1495	Front Shock Mounts for Gelande 2 Chassis
VVV-C1496	Rear Shock Mounts for Gelande 2 Chassis
VVV-C5007	Roof Rack w/Lights for Gelande II D90
VVV-C5008	Steel Tube Bed Cage for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up)
VVV-C5009	Steel Tube Bed Cage w/ Soft Top for RC4WD Gelande II 2015 Land Rover Defender D90 (Pick-Up) (Black)
VVV-C5010	Roof Rack w/Tire Mount and IPF Lights for Gelande II D90





RC4WD

737 N. Gateway St.

Visalia, CA 93291

Web: www.rc4wd.com - Email: support@rc4wd.com

100-0090